




FIG. 1 is a block diagram of a network system. The system includes a Resource Provider Server (9) connected to an Internet (7). The Internet (7) is connected to two client computers: a Solaris computer (3) and a Windows 98 computer (5). Bidirectional arrows indicate communication between the server and the Internet, and between the Internet and each client computer.




(PRIOR ART)
FIGURE 1




(PRIOR ART)
FIGURE 2



(PRIOR ART)
FIGURE 3




(PRIOR ART)
FIGURE 4




(PRIOR ART)
FIGURE 5

FIG. 6 is a block diagram of a J2ME™ technology architecture. The architecture is divided into two main sections: CONFIGURATION and PROFILE (MIDP OR DoJa). The CONFIGURATION section contains a VIRTUAL MACHINE 16 and CORE APIs 52. The PROFILE (MIDP OR DoJa) section contains OEM SPECIFIC APIs 34.




(PRIOR ART)
FIGURE 6



(PRIOR ART)
FIGURE 7

FIG. 8 is a block diagram of a J2ME™ WIRELESS APPLICATIONS environment. The environment includes an APPLICATION DESCRIPTOR (60) and a JAR FILE (58). The JAR FILE (58) contains MIDP APPLICATIONS (36).



(PRIOR ART)
FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11

Copyright 2000 by Sun Microsystems, Inc.




FIGURE 12

1. The first step is to create a new project in the IDE. This is done by clicking on the 'File' menu and selecting 'New' and then 'Project'.




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19




FIGURE 20